

Index

- Applications
 - ANCOVA, 130
 - approval, 403
 - binomial regression, 335, 345
 - cattle feed, 405
 - coins, 303
 - crime, 125
 - differential invalidation, 345
 - geography, 207, 208
 - GLM, 276, 279
 - heteroskedasticity, 210
 - imputation, 410
 - lifetime, 249
 - logistic regression, 335, 345
 - median regression, 229
 - nominal regression, 395
 - occupation, 395
 - ordinal regression, 403, 405, 410
 - physics, 210
 - Poisson regression, 373
 - property crime, 229
 - South Sudan, 176
 - terrorism, 373
 - time series, 206
 - voting, 138, 164, 176, 212, 276
 - wealth, 168, 279
- R data
 - cattleData, 405
 - coinflips, 304
- cows, 138, 139, 164, 276
- crime, 125, 228, 365
- fakepoisson, 359
- gdpcap, 279
- gdp, 168
- gssocc, 395, 403
- oCanada, 335
- rur2013parl, 214
- sri2010pres, 345
- summary.aov, 145
- suvr, 410
- terrorism, 373
- xsd2011referendum, 176
- R functions
 - (drop), 178
 - AIC, 318
 - BIC, 320
 - I, 378
 - ROC, 312
 - &&, 105, 106
 - accuracy, 307, 310
 - anova, 340
 - aov, 132, 341
 - attach, 125
 - no, 176
 - autocor.test, 206
 - barplot, 477
 - binom.test, 90
 - bptest, 103, 104, 126

cbind, 336
col, 207
confint, 105, 106, 129, 137,
211, 212
cor.test, 140, 405
c, 112, 211, 212
data.frame, 147, 166, 170,
280, 366, 406, 411
exp, 359
fligner.test, 133
for-loop, 90, 92, 105, 106, 126,
477
function, 477
glm.nb, 372, 374
glm.nb,offset, 374
glm, 276, 304, 336, 366, 374
glm,family, 278, 279
glm,link, 278, 279
glm,offset, 374
glm,quasipoisson, 370
head, 85
hetero.test, 132
hist, 83, 94
ks.test, 91
legend, 408
length, 95
library, 98, 228
lines, 180
lm, 89, 90, 94, 103, 108, 112,
125, 134, 169, 178, 199
lm,weights, 212, 215
logistic, 165, 166
logit.inv, 165
logit, 165
make.link, 278–280, 301
matrix, 310
mean, 108, 153
multinom, 398, 406
ordered, 410
overlay, 83, 125, 131
plot, 95, 103, 126
points, 129
polr, 403, 411
predict, 108, 129, 137, 147,
148, 166, 170, 179, 280, 305,
366, 398, 404, 406, 411
predict,se.fit, 179
qchisq, 368
qqline, 82
qqnorm, 82
quantile, 171
rcauchy, 93
rchisq, 93
read.csv, 125, 139, 228, 405
residuals, 95, 125, 131, 206,
341
rexp, 83, 92
rnorm, 81, 89, 90, 94, 95, 98,
103, 105, 106, 477
row, 207
rq, 227, 228, 228, 229, 231, 232
rt, 87
runif, 98

`runs.test`, 98, 126, 131, 341, 480
`sample`, 126, 310
`seq`, 95, 103, 105, 106, 112
`set.base`, 134, 399
`set.seed`, 85, 90, 95, 98, 108, 112, 359
`shapiroTest`, 85–87, 125, 131
`sort`, 359
`source`, 81, 98, 125, 139
`subset`, 366, 372
`summary.aov`, 130, 133
`summaryHCE`, 182
`summary`, 89, 90, 94, 125, 132, 276
`tail`, 86
`vif`, 113, 146
`which`, 178
R packages
 `Epi`, 312
 `MASS`, 372, 403, 410
 `RFS`, 85, 98, 165, 182, 307, 399, 480, 492
 `car`, 113, 146
 `lawstat`, 98, 125
 `lmtest`, 103, 125
 `nnet`, 398, 405
 `quantreg`, 227

accuracy, 307, 311, 400, 404
AUC, 312
maximum, 309
rate, 307
relative, 308
additive model, 112, 131, 145
AIC, 277, 278, 317, 340, 359, 400, 411
alpha-testing, 89, 92, 93
ANCOVA, 130
ANOVA, 45, 132, 466
 effects model, 50, 51
 means model, 49
 table, 131
 toy example, 24
ANOVA table, 144
appropriate test, 89
AR(1), 207
AUC, 312
autocorrelation, 206, 207
back-transform, 166, 174, 305
base category, 134, 399
bias, 28, 33, 61, 99, 255, 446, 451
bias-variance trade-off, 373, 379
BIC, 320, 340, 359
bijection, 252
Binomial test, 90
boolean, 105
bounds, 161
 one, 168
 two, 162, 163
 others, 173
Breusch-Pagan test, 103, 126, 133
canonical link, 270, 272, 274, 299, 364

CDF, 300, 455
 center of gravity, 26
 centering, 35
 Central Limit Theorem, *see* CLT
 classical linear model, *see* CLM
 CLM, 124, 160, 199, 205, 251, 266, 267
 CLT, 88, 93, 458, 480, 488
 coefficient of variation, 139
 conditional distribution, 269, 298, 333, 336, 363
 confidence band, 75, 179, 310
 confidence interval, 64, 70, 71, 74, 107, 129, 137, 228, 302
 confusion matrix, 311
 correlation, 113, 140, 450, 455
 population, 455
 sample, 450
 symmetric, 450
 covariance, 33, 62, 439, 449, 455
 bilinear, 449
 population, 455
 sample, 449
 symmetric, 449
 covariance matrix, 267
 coverage, 105, 108
 cumulative distribution function, *see* CDF

 data matrix, *see* design matrix
 degrees of freedom, 435
 design matrix, 35, 80
 deviance, 447

 differential invalidation, 176, 212, 345
 directional hypotheses, 138
 electoral forensics, 176, 212, 345
 estimator, 31
 exponential class, 271, 333
 exposure, *see* offset
 extrapolation, 23
 factor analysis, 115
 Fligner-Killeen test, 133
 function
 absolute value, 224
 beta, 467
 exponential, 170
 gamma, 462, 464, 467
 identity, 370
 logarithm, 168, 361
 logistic, 163, 166, 295
 logit, 163, 272, 294
 functional form, 95, 96, 101, 126, 131, 272

 Gaussian process, *see* normality
 generalized least squares, *see* GLS
 generalized linear model, *see* GLM
 geographic regression, 208
 GLM, 267, 268
 vs CLM, 268
 assumptions, 272
 components, 268, 290, 296, 298, 304, 361
 distribution, 269

- exponential class, 271
- linear predictor, 268
- link function, 270, 275
- GLS, 205
- grammar of forumlas, 143
- graphics, 128, 135, 148, 151, 407, 411
 - R philosophy, 179
- hat matrix, 37, 203
- heteroskedasticity, 105, 182, 267, 292, 359
 - adjustment, 181
 - bulge, 106
 - effects, 99, 105, 108
 - funnel, 106
 - modeling, 198
 - none, *see* homoskedasticity
 - trumpet, 105, 108, 362
- heteroskedasticity test, 132, 133
- Hildebrand Rule, 127, 395, 472
- homoskedasticity, 58, 101, 126, 132, 197, 297
- Huber-White, 181
- iid, 58, 60, 197, 462
- independent, 60, 198, 252
- independent and identically distributed, *see* iid
- influential point, 229, 366
- inner product, 428
- interaction model, 130, 131, 143, 144
- interaction term, 378
- interpolation, 23, 128
- interpretation, 108, 151, 176, 215, 277, 400, 408
 - of logarithm, 171
 - of logit, 165
- Kingdom of Ruritania, *see* Ruritania
- Kolmogorov-Smirnov test, 91, 92–94
- kurtosis, 457, 459, 463, 482
- latent variable, 294
- likelihood, 245, 246, 249
 - log-likelihood, 247, 249
- likelihood ratio test, 320, 340
- line of “best” fit, 16, 242
- linear predictor, 268, 294, 295, 298, 306, 333, 335
- link function, 270, 278, 298, 314, 334, 336, 363, 394
 - canonical, 270, 299, 333, 364
 - cauchit, 301
 - complementary log-log, 301, 314
 - identity, 274, 370
 - log-log, 301, 315
 - logarithm, 363
 - logit, 272, 294, 298, 301, 303, 394, 398, 404
 - probit, 301
- logistic regression, 290
- machine epsilon, 110
- matrix, 422
 - addition, 424
 - additive identity, 424

additive inverse, 425
 adjacency, 209
 associative, 425, 426, 434
 commensurate, 424, 426
 commutative, 425, 431
 confusion, 311
 covariance, 197, 206, 267, 437, 439
 determinant, 429
 diagonalization, 434
 dimension, 422
 distributive, 426
 eigenvalue, 435
 eigenvector, 435
 hat, 203
 idempotent, 38, 435
 inner product, 428
 inverse, 48, 54, 428
 invertible, 428
 multiplication, 426
 multiplicative identity, 428
 multiplicative inverse, 428, 436
 orthogonal, 38, 41, 435
 positive definite, 206, 436
 projection, 38, 435
 rank, 48, 428, 435, 437
 representation, 423
 sample covariance, 439
 sample mean, 438
 sample variance, 439
 singular, 110, 428
 square, 422
 symmetric, 38, 209
 symmetrize, 434
 trace, 434
 transpose, 54, 434, 436
 maximum likelihood estimation, *see*
 MLE
 mean, 271, 362, 438, 447
 distribution of, 467
 linear, 447
 population, 451
 sample, 447
 mean squared error, *see* MSE
 median regression, 17, 228, 229
 MGF, 481–486
 minimum-width interval, 72
 vs central, 72, 73, 73
 MLE, 16, 245–247, 251, 270, 298,
 394
 bias, 250
 function of, 250
 of β_0 , 251
 of β_1 , 253
 of σ^2 , 255
 uniqueness, 250
 model selection, 143, 145, 164, **317**,
 376
 AIC, **317**
 BIC, **320**
 likelihood ratio test, **320**
 model specification, 101
 model stability, 394
 moment, 481

- central, 481
- raw, 481
- standardized, 482
- moment generating function, *see* MGF
- Monte Carlo, 150, 166, 171, 310
- MSE, 29, 63, 72, 204
- multicollinearity, 32, 45, **110**
 - approximate, 110
 - CS, 110
 - fix, **114**
 - indications, 112
 - logic, 111
 - super, 110, 111
 - test, 113
- multiple comparisons, 472
 - Bonferroni adjustment, **474**
- nominal regression, 396
- norm, 227
 - L_1 , 227
 - L_2 , 227
- normality, 58, 61, 81, 125, 131
- nuisance parameter, 272
- null model, 43, 411
- Occam's Razor, 130
- odds ratio, 165, 167
- offset variable, **374**
- OLS, 17, 160, 197
 - assumptions, 28, 32, 58, 124, 145, 160, 197
 - b_0 , 20, 62, 99
 - b_1 , 20, 27, 28, 62, 99
 - derivation, matrix, 30–31
 - derivation, scalar, 18–20
 - matrix, 197
 - matrix model, **30**
 - scalar, 197
 - scalar model, **18**
 - toy example, 21, 35
- OLS assumptions, 95
- ordinary least squares, *see* OLS
- overdispersion, 337, 363, **368**, 375
 - adjustment, 369
 - causes, 368
 - effects, 368
 - test, 368
- p-value, 89
- parameter, 446, **451**, 456
- point estimate, 152
- Poisson regression, 359
- PRE, 339
 - definition, **42**, 308
 - R^2 , 42, 113, 142
 - \bar{R}^2 , 43
 - pseudo- R^2 , 44, 276, 307
- preamble, 139
- precision, 65
- prediction interval, 67, 74, **74**, 129, 137
- principal component analysis, 115
- probability distribution
 - Bernoulli, 296, **456**, 483